



**1-800-779-2102**

Mon – Thurs: 8:00am - 5:00pm | Friday: 8:00am - 4:00pm CST

**INSPECT YOUR PRODUCT FOR DAMAGE & MISSING PARTS BEFORE PROCEEDING TO INSTALLATION**

**PROCEDURE FOR RETURNS OR MISSING HARDWARE**

-PLEASE CONTACT THE ORIGINAL POINT OF PURCHASE FOR:  
SHIPPING DAMAGE, RETURNS, OR WARRANTY CLAIMS

-CONTACT DEE ZEE DIRECTLY FOR MISSING PARTS OR HARDWARE

**WWW.DEEZEE.COM**

REGISTER YOUR PRODUCT ONLINE: [www.deezee.com/registration](http://www.deezee.com/registration)

VIEW INSTRUCTIONS ONLINE: [www.deezee.com/instructions](http://www.deezee.com/instructions)

---

**⚠ WARNING:** Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Operating, servicing, and maintaining a passenger vehicle can expose you to chemicals such as lead, phthalates, engine exhaust, and carbon monoxide that are known to the State of California cause cancer and birth defects or other reproductive harm. To minimize exposure, service your vehicle and its accessories in a well-vented area and wear gloves or wash your hands frequently.



## DEE ZEE, INC. WARRANTY AGREEMENT

Dee Zee, Inc. guarantees the original purchaser a limited lifetime warranty against manufacturer defects in materials, workmanship, and design under normal use, excluding damage resulting from road hazards such as gravel or other debris, product misuse, improper installation, impairments from accidents, product modifications, improper repairs, spills, vandalism, product neglect, or acts of God.

This warranty applies only to the original purchaser of new product(s) and is limited to the replacement of genuine Dee Zee products. Modification of any kind to Dee Zee products voids all warranty coverage. Warranty does not include electrical components, installation, cost of removal, labor, transportation costs, loss of use, inconvenience, or consequential damages.

## WARRANTY COVERAGE - MATERIALS & WORKMANSHIP

### LIMITED LIFETIME WARRANTY:

- STAINLESS STEEL: Side Steps, Grill Guards, Bull Bars, Bed Caps, and Side Rails
- ALUMINUM: Side Steps, Running Boards, Storage Boxes, Transfer Tanks, Bed Protection, Side Rails, Invis-A-Racks, and Cab Racks
- PLASTIC: Storage Boxes
- OTHER: Front and Rear Bumpers

### THREE-YEAR WARRANTY:

- POWDER-COATED / E-COATED STEEL: Side Steps, Running Boards, Storage Boxes, Transfer Tanks, Cab Racks, Sport Bar Ladder Racks, Cargo Carriers, Mounting Brackets (NX, Rough Step, and Bumper Guards only)
- OTHER: Tailgate Assist, Bed Mats, Floor Mats, Auxiliary Fuel Connection Kits, and All Products Not Otherwise Listed Individually

## WARRANTY COVERAGE – FINISH PROTECTION

The finish of all Dee Zee products is covered for one-year (1) from the date of purchase. Dee Zee products have a high quality finish that must be cared for and maintained like any other exposed finish on the vehicle. Protect the finish with non-abrasive automotive wax (e.g. Pure Carnauba) on a regular basis. Applying soaps, polishes, or waxes that contain an abrasive compound may scratch the finish and leave the exposed material susceptible to corrosion.

## WARRANTY COVERAGE – COMPONENT PARTS

Operational items such as shocks, latches, hinges, and wear items including, but not limited to, mud flaps, step pads, toolbox tray, end caps, hardware, seals, etc. have a one-year (1) warranty. Replacement component parts can be ordered via credit card (MasterCard or VISA) by calling 1-800-779-2102. All replacement parts are non-returnable and non-refundable.

## **GPI® FUEL PUMPS & ACCESSORIES**

All Great Plains Industries (GPI) products, including transfer tank pumps and fuel meters are covered by GPI's warranty policies. Dee Zee's warranty terms do not apply to GPI products. To submit a warranty claim, please contact GPI at 1-800-835-0113 or visit [www.gpi.net](http://www.gpi.net).

### **WARRANTY SUBMISSION PROCEDURE**

All warranty claims will be initiated at the place of purchase. The original purchaser will be required to present the original sales receipt with purchase date shown and provide photographs of the defect.

In the event the originally purchased product style is no longer available, Dee Zee will warranty the defective part with a current equivalent. If a comparable product is no longer available, the product would be returned to the store of purchase for a refund or the applicable cost difference can be paid to choose an alternate style.

### **DISCLAIMER**

All products are sold as appearance accessories and should not be relied upon as protection for the vehicle or its occupants in the event of an accident. Vehicles equipped with a supplemental restraints system (air bags) deployed by impact and collision avoidance systems should not be modified in any way. Always consult the vehicle manufacturer if you have any questions regarding supplemental restraint systems and sensors.

Buyer must accommodate front and rear sensors during product installation and assumes all risk should these be tampered, rerouted, severed, or disconnected. This includes disabling visual, audio, or vibration alerts into the cab. Buyer assumes all risk and responsibility for wiring any supplemental auxiliary lights.

Buyer assumes all risk, liability, and cost for the installation and use of Dee Zee products. Dee Zee, Inc. assumes no liability for injury, loss, incidental or consequential damages in the event of an accident.



Thank you for choosing Dee Zee to add function and accessorize your vehicle. Dee Zee has been a staple brand in the truck accessory market since 1977 and we hold a reputation of quality manufacturing based in America's Heartland. Our products are born through careful engineering and backed by industry leading warranty programs. We appreciate the opportunity to serve you and your vehicle!

**Review the instruction pages in their entirety to prepare the required tools**

**Warning:** The included J-Bolts must be used during installation to secure the crossover tool box to the truck bed. Do NOT use self-tapping screws on crossover tool boxes. Self-tapping screws can be used only on chest style tool boxes being installed to the truck bed. Premium J-Bolts for crossover tool boxes are available online at [www.deezee.com](http://www.deezee.com) that have more surface area and molded to your truck bed rails. Tie downs designed specifically for Ford aluminum body trucks also are available.

The tool box warranty is void if one of these securing methods is not used.

**Note:** Dee Zee tool boxes are NOT air tight. An air-tight seal allows condensation to form inside of the box, causing the contents to be susceptible to mold or rust. Dee Zee boxes feature various bulb seals and foam gaskets on the lid to help resist weather elements. Should the weather stripping become damaged, please contact our customer service for replacement options at: **1-800-779-2102**

Tool box locks are provided as a theft deterrent and they should always be engaged to prevent easy access to the contents of your tool box when not in use. Contents stored in the tool box are the responsibility of the user and Dee Zee disclaims responsibility of theft. Dee Zee does not insure any loss of contents.

**Cleaning:** To be entitled to all warranty rights offered with the product, Dee Zee tool boxes need to be cleaned regularly with a mild detergent. Do NOT use abrasive cleaners. For stainless steel products, the application of a high grade automotive wax is recommended.



Dee Zee Cares - Please Recycle

For an electronic version of these instructions visit: [www.deezee.com/instructions](http://www.deezee.com/instructions)

Register your product online: [www.deezee.com/registration](http://www.deezee.com/registration)





# Fifth Wheel Tool Box Installation Instructions

## **Fifth Wheel Toolbox:**


Toolbox lid design may vary from picture with different toolbox models.

## **Cinquième Boîte à outils De Roue:**

La conception de couvercle de boîte à outils peut changer de l'image avec différents modèles de boîte à outils.



**3**



**Place fifth wheel toolbox (A) into the back of your pickup truck bed.**



**Placez la cinquième boîte à outils de roue (a) dans le dos de votre lit de petit camion.**



**4**

**Locate the fifth wheel toolbox (A) in the pickup truck bed and then mark four hole locations in the bottom of fifth wheel toolbox (A). Drill a 3/16" hole at each marked hole location.**


**Plac la cinquième boîte à outils de roue (a) dans le lit de petit camion et puis marquez quatre emplacements de trou au bas de la cinquième boîte à outils de roue (a). Forez un 3/16 " trou à chaque emplacement marqué de trou.**



**5**

**Attach fifth wheel toolbox (A) to the pickup truck bed using 1/4 x 1" sheet metal screws (B). Tighten them into place using a 3/8" wrench / or socket.**


**Attachez la cinquième boîte à outils de roue (a) au lit de petit camion en utilisant 1/4 x 1 " des vis en métal de feuille que (b). les serrent dans l'endroit à l'aide d'une clé de 3/8 " / ou du plot.**




**MAINTENANCE INSTRUCTIONS:** All locks, latches, latching rods, and hinges should be lubricated regularly to assure smooth and proper operation for the life of the toolbox.

**INSTRUCTIONS D'Entretien:** Toutes les serrures, verrous, verrouillant des tiges, et des charnières devraient être lubrifiées régulièrement pour assurer l'exécution sans heurt et appropriée pendant la vie de la boîte à outils.

**Toolbox Paddle Latch Assembly**



**Toolbox Catch Assembly**



**Ever lose your keys? Save Yourself Time and Trouble?**

Order some extra keys now and have them when you need them. Please fill out and mail this portion to us. We'll send you a couple of extra keys for your Tool Box for just \$11.00 (American).

Name: \_\_\_\_\_

Day Phone: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

Address: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Method of Payment:

- Cash, Check, or Money Order
- Master Card
- Visa

City, State, Zip: \_\_\_\_\_

Expiration Date: \_\_\_\_\_

KEY and LOCK#: \_\_\_\_\_

Card Number: \_\_\_\_\_

Please mail form and payment to : Dee Zee, Inc.  
 OR P.O. Box 3090  
 Fax to: 515-265-7926 Des Moines, IA 50316

**CLEANING INSTRUCTIONS:** To maintain the luster of your tool box, use a mild detergent.


**\*\*Locks are provided as a deterrent to inadvertent opening or easy access to the contents of your toolbox. Contents stored in the toolbox are the responsibility of the user.**

**After drilling, it is recommended that a sealant or rust inhibitor be placed around all holes drilled into the body panel of the vehicle.**


**If you should incur any problems with the installation of this product, please feel free to call us at 1-800-779-8222. So that we may better serve you when you call, please have the W/O#, SEQUENCE#, and the DATE from the label on the outside of the box.**

# Replacement Parts for 5th Wheel Toolbox


## Toolbox Hook-Paddle Latch Assembly



## Toolbox Hook-Catch Assembly



## Nylon Standoff Part Number: PN 860







## Pushbutton - Blue Series









<b>Spacer Brace for Push Button</b> Part Number: B 1623 	<b>Adjustable Latch</b> Part Number: B 1610 	<b>Carburetor Clip 7R</b> Part Number: LCC-2 	<b>Mounting Bracket</b> Part Number: B 1625 
<b>Shock Mount</b> Part Number: SL-69 	<b>Nylon Bushing</b> Part Number: PN 116 	<b>5/16-18 Nylon Insert Locknut</b> Part Number: PN 510 	<b>10 x 1/2 Square Pan Self Drill</b> Part Number: PN 872 
<b>Push Latch</b> Part Number: TB 85623 	<b>Rotary Latch</b> Part Number: TB 85624 	<b>Rod End Adaptor</b> Part Number: TB 85626 	

# Replacement Parts for 5th Wheel Toolbox Cont.

## Shocks

 <p>10" Blade Style Shock</p>	<b>Blade Style Shock</b>					
	Shock #	20#	40#	70#		
	Part Number	SL1-20	SL1-40	SL1-70		
 <p>10" 10mm Socket Style Shock</p>	<b>10mm Socket Style Shock</b>					
	Shock #	20#	40#	70#		
	Part Number	SL-3020	SL-3040	SL-3070		
 <p>10 1/2" 10mm Socket Style Shock</p>	<b>10mm Socket Style Shock</b>					
	Shock #	20#	40#	60#	80#	100#
	Part Number	SL-3220	SL-3240D	SL-3260D	SL-3280D	SL-32100D
 <p>15" 10mm Socket Style Shock</p>	<b>10MM Socket Style "Long" Style Shock</b>					
	Shock #	90#	40#			
	Part Number	SL-3390	SL-3340			

## Miscellaneous Parts

<b>Foam Latch Gasket</b> Part Number: TB85409 	<b>Shock Clip</b> Part Number: SL-81 	<b>Striker Assembly</b> Part Number: TB85616 	<b>Shock Mount Nut</b> Part Number: PN 301 	<b>Latch Cover Rivet</b> Part Number: PN 285 	
	<b>Shock Mount</b> Part Number: SL-69 			<b>Latch Rivet</b> Part Number: PN 157 	
				<b>Hinge Rivet</b> Part Number: PN 762 	
<b>Rod Clip</b> Part Number: LCC-1 	<b>Rod Guide</b> Part Number: TB85615 	<b>1/4" Flat Washer</b> Part Number: PN 72B Black 	<b>1/4 x 1" Sheet Metal Screw</b> Part Number: PN 97B Black 	<b>1/4 x 1" Sheet Metal Screw</b> Part Number: PN 97 	<b>1/4 x 1" Button Head Screw</b> Part Number: PN 96B 
	<b>1/4" Locknut</b> Part Number: PN 341B 	<b>Mounting Bracket</b> Part Number: TB85614 	<b>Divider Mounting Channel</b> Part Number: TB-Channel 	<b>Toolbox Divider</b> Part Number: TB-Divider 	<b>Toolbox Divider Tape</b> Part Number: CO-tape 
<b>Rear View: Locking Latch</b> Part Number: TB85613 	<b>Rear View: Non-Locking Latch</b> Part Number: TB85614 	<b>Rear View: Locking Hook</b> Part Number: Tb85608 	<b>Rear View: Non-Locking Hook</b> Part Number: Tb85608 		

### Ordering Replacement Parts:

Ordering replacement parts for your toolbox is fast, convenient, and easy. Just call our customer service phone number at 1-800-779-2102 for pricing and ordering information. Please provide the customer service representative with the part number from the above parts list.